

Compressor product overview

Suction system product overview

● Network compatible




### Dry suction systems

	V 300 S	V 600	V 900 S	V 1200 S	V 2400	Tyscor V 1 Plus
<b>Number of users</b>	1	2	3	4	8	1
<b>Size</b>	H 38 cm B 31 cm T 32 cm	H 48 cm B 41 cm T 39 cm	H 52 cm B 41 cm T 43 cm	H 52 cm B 41 cm T 43 cm	H 115 cm B 80 cm T 48 cm	H 34 cm B 35.5 cm T 45.5 cm
<b>Noise level</b>	63 dB(A)	65 dB(A)	65 dB(A)	65 dB(A)	70 dB(A)	55 dB(A)
<b>Max. fluid flow rate</b>						
<b>Weight</b>	13 kg	21 kg	27.75 kg	26.5 kg	68 kg	9 kg
230 V (1~)	7119-01/002	7127-01/002	7131-01/002			7182100200
230 V (3~)		7127-02/003	7131-02/003	7136-02/003		
400 V (3~)		7127-02/002	7131-02/002	7136-02/002	7137-02	



Tyscor V 2	Tyscor V 4	VS 300 S	VS 600	VS 900 S	VS 1200 S	Tyscor VS 1 Plus	Tyscor VS 2
2	4	1	2	3	4	1	2
H 34 cm B 35.5 cm T 45.5 cm	H 54 cm B 45 cm T 62 cm	H 38 cm B 31 cm T 32 cm	H 48 cm B 41 cm T 39 cm	H 52 cm B 41 cm T 43 cm	H 52 cm B 41 cm T 43 cm	H 32 cm B 35.5 cm T 45.5 cm	H 32 cm B 35.5 cm T 45.5 cm
57 dB(A)	62 dB(A)	63 dB(A)	65 dB(A)	65 dB(A)	65 dB(A)	53 dB(A)	55 dB(A)
		4 l/min	10 l/min	16 l/min	24 l/min	8 l/min	8 l/min
9 kg	19 kg	13.25 kg	22 kg	28.75 kg	27.5 kg	11 kg	11 kg
7177-01	7188100200	7122-01/002	7128-01/002	7134-01/002		7182100100	7186-01
			7128-02/003	7134-02/003	7138-02/003		
			7128-02/002	7134-02/002	7138-02/002		



## Wet suction systems

Tyscor VS 4	VSA 300 S	VSA 600	VSA 900	VSA 1200	Tyscor VSA 1 Plus	Tyscor VSA 2	Tyscor VSA 4
4	1	2	3	4	1	2	4
H 51 cm B 45 cm T 69 cm	H 47 cm B 31 cm T 32 cm	H 50 cm B 42 cm T 41 cm	H 95 cm B 62 cm T 61 cm	H 95 cm B 62 cm T 61 cm	H 77 cm B 52 cm T 48 cm	H 77 cm B 52 cm T 48 cm	H 96 cm B 74 cm T 56 cm
61 / 64 dB(A)	63 dB(A)	63 dB(A)	65 dB(A)	66 dB(A)	Approx. 58 dB(A)	Approx. 58 dB(A)	Approx. 61 dB(A)
24 l/min	4 l/min	4 l/min	16 l/min	16 l/min	4 l/min	4 l/min	16 l/min
24 kg	16 kg	47 kg	65 kg	65 kg	35 kg	35 kg	55 kg
7188100100	7125-01/002	7128 500001	7134 500001	7138 500001	7182 500001	7186 500001	7188 500001
			7134 500002	7138 500001			

# Accessories



**7117-95**  
CA2 amalgam separator  
2 users



**7182100012**  
Kit to upgrade Tyscor V/VS  
1 to Tyscor V/VS 2



**7130-190-00**  
Wall bracket for V/VS 600,  
V/VS 900 S, V/VS 1200 S  
and Tyscor V/VS 1/2



**7805-100-50**  
CA4 amalgam separator  
4 users



**0730-991-00**  
Noise reducer for V/VS 600,  
V/VS 900 S, V/VS 1200 S  
and Tyscor V/VS




**7130-191-00**  
Floor brackets for V/VS 600,  
V/VS 900 S, V/VS 1200 S  
and Tyscor V/VS 1/2



**7130-195-50**  
Floor brackets/wall console for  
VS 600/VS 900 S/VS 1200 S  
and Tyscor V/VS 4



**7120-143-00**  
Exhaust air bacteria filter for  
VS 250 S, V/VS/VSA 300 S,  
Variosuc and PTS 120



**7188100015**  
Wall bracket  
for Tyscor V/VS 4  
or two Tyscor V/VS 2



**7122200000**  
Noise reduction hood  
for V/VS/VSA 300 S



**7120100000**  
Filter housing incl. bacteria filter  
for integration in exhaust air line



**7188100017**  
Floor brackets  
Tyscor V/VS 4



**7131-991-00**  
Noise reduction hood for  
V/VS 600/900 S/1200 S



**0705-991-50**  
Exhaust air bacteria filter  
for V/VS 600 - V/VS 1200 S,  
V 2400, Tyscor V/VS, PTS 200  
and clinic suction systems



**7130-991-51**  
Pressure equalisation tank  
for CA 4



**7186100030**  
Noise reduction hood  
Tyscor V/VS 1/2

 Network compatible



	<b>Tornado 1</b>	<b>Tornado 1</b>	<b>Tornado 2</b>	<b>Tornado 2</b>	<b>Tornado 2+</b>	<b>Primo</b>
<b>Special features</b>		Sound-proofing		Sound-proofing	Sound-proofing	
<b>Number of users</b>	1	1	2	2	2	1
<b>Size</b>	H 65 cm B 49 cm T 47 cm	H 84 cm B 63 cm T 60 cm	H 65 cm B 49 cm T 47 cm	H 84 cm B 63 cm T 60 cm	H 84 cm B 63 cm T 60 cm	H 69 cm B 49 cm T 47 cm
<b>Noise level [cabinet]</b>	64 dB(A) -	- [58 dB(A)]	68 dB(A) -	- [59 dB(A)]	- [56 dB(A)]	65 dB(A) [49 dB(A)]
<b>Flow rate at 5 bar*</b>	60 l/min	60 l/min	110 l/min	110 l/min	110 l/min	58 l/min
<b>Tank volume</b>	20 l	20 l	20 l	20 l	20 l	20 l
<b>Weight</b>	37 kg	49 kg	43 kg	57 kg	58 kg	45 kg
<b>230 V (1~)</b>	5182-01	5186-01	5282-01	5286-01	5286100036	5152-01
<b>230 V (3~)</b>						
<b>400 V (3~)</b>						

\*Measured without dry air



Duo	Trio	Quattro	Duo Tandem	Duo Tandem	Tornado 4	Quattro Tandem	Quattro Tandem	Quattro P20
			1 unit	2 units	2 units	1 unit	2 units	4 units
2	3	4	2	4	4	4	8	16
H 69 cm B 49 cm T 47 cm	H 76 cm B 74 cm T 52 cm	H 76 cm B 74 cm T 52 cm	H 76 cm B 75 cm T 52 cm	H 76 cm B 79 cm T 52 cm	H 72 cm B 76 cm T 59 cm	H 82 cm B 102 cm T 62 cm	H 82 cm B 102 cm T 62 cm	H 114 cm B 115 cm T 77 cm
66 dB(A) [51 dB(A)]	67 dB(A) [49 dB(A)]	69 dB(A) [53 dB(A)]	66 dB(A) [51 dB(A)]	69 dB(A) [51 dB(A)]	70 dB(A) -	69 dB(A) -	72 dB(A) -	75 dB(A) -
115 l/min	160 l/min	220 l/min	115 l/min	225 l/min	205 l/min	220 l/min	440 l/min	885 l/min
20 l	50 l	50 l	50 l	50 l	50 l	90 l	90 l	90 l
50 kg	80 kg	85 kg	70 kg	100 kg	90 kg	120 kg	170 kg	285 kg
5252-01	5352-01			4252-01** 4252100004**	4282-01			
							4682-52	
5252-51		5452-51	4152-54	4252-54		4642-54	4682-54	4852-54

\*\*Without electronic control, 4252100004 for CAD/CAM systems

# Accessories



**5150-500-00**

Soundproof cabinet, small  
Primo, Duo, Tornado  
H 95 x W 65 x D 63 cm



**1650100172**

Bacteria filter  
for dry air unit



**5180-982-00**

Air intake filter  
for Tornado 1 and 2



**4251-500-00**

Soundproof cabinet, large  
Duo Tandem, Trio, Quattro  
H 112 x W 96 x D 70 cm



**1650-101-00**

Sinter filter  
for dry air unit



**1610-121-00**

Fine filter  
for dry air unit



**0832-982-00**

Air intake filter for Primo, Duo, Trio, Quattro  
compressors and Power Towers 110/160/210/200

DÜRR DENTAL SE  
Höpfigheimer Str. 17  
74321 Bietigheim-Bissingen  
Germany  
[www.duerrdental.com](http://www.duerrdental.com)  
[info@duerrdental.com](mailto:info@duerrdental.com)

 **DÜRR  
DENTAL**  
THE BEST, BY DESIGN