




PHOTOPOL



INSIDE PHOTOPOL. “DIGITAL”

PHOTOPOL (A5408D) “DIGITAL” is equipped with **6 circuits of 16 LEDs** Hi-Power SMD (96 LEDs in total). The operating spectrum allows to post-cure objects created with 3D printers working both **385nm / 405nm** waveleghts as well as to light-cure **traditional dental composites**. It feature a wide treatment area (**250x250mm x h100mm**). This version features a touch-screen full-color display to selectparameters with user-friendly setting with icons. Programs can be easily stored. Also available another model (**A5408V**) “DIGITAL” but with the unique “**Vacuum+Gas System**” to cure biomedical 3D resins (in **Class 2a**) complying with the current inerted-atmosphere-curing regulations.



PHOTOPOL

TECHNICAL FEATURES

CURING TREATMENT AREA SIZE

250x250mm h 100mm

DIGITAL VERSION

touch-screen display & user-friendly icons settings

LED TECHNOLOGY

6 special circuits of **16** LEDs (Hi-Power SMD) **96** LEDs in total


WAVELENGTHS - spectrum **350nm - 550nm**

also suitable for dental composites

VOLTAGE - ABSORPTION: 230V 50/60Hz - 450W

EXTERNAL DIMENSIONS: Widht 450mm - Depht 360mm - Heigh 215mm

NET - GROSS WEIGHT: 9,0Kg - 11,0Kg



PHOTOPOL

A **DENTALFARM** TRADEMARK

Via Susa, 9/a - 10138 Torino - ITALY
Ph: +39 011 4346 588 / +39 011 4346 632
Fax: +39 011 4346 366
Email: info@dentalfarm.it

www.dentalfarm.it