

#whdentalwerk



video.wh.com

Now at  
your dealer  
or [wh.com](http://wh.com)



# W&H couplings

Versatile system interfaces



roto quick

## Versatile system interfaces

The Roto Quick coupling is a connector that transfers the distribution of air, water, electricity and light between the supply hose of the dental unit and air drive.



### Versatile

For all turbine handpieces, air motors and scalers with Roto Quick connections.



### Compatible

Compatible with all standardized turbine hoses.



### Hygienic

Non-retraction valve reduces the backflow of contaminated spray water and minimizes the risk of infection.



### Intelligent

The power transmission enables you to take advantage of revolutionary technologies, such as the 5x Ring LED+.



### Flexible

360° instrument rotation for easy and ergonomic handling.



### Ergonomic

Lightest system available to date.



### Customizable

Continuous regulation of the spray water supply for rapid adjustment by the user – even during treatment.



# W&H Roto Quick couplings

Light, flexible and sterilizable:  
W&H Roto Quick couplings are versatile and suitable for use with transmission instruments with LED+, LED and halogen lights. 24 months warranty.



Roto Quick couplings:	RQ-24	RQ-34	RQ-14	RQ-03	RQ-04
Light:	Yes	Yes	-	-	-
Spray regulator:	-	Yes	Yes	-	-
Connection:	6-hole	6-hole	Standard 4-hole	2(3)-hole	Standard 4-hole



W&H coupling for Multiflex®* connection:	
Light:	LED
Spray regulator:	-
Connection:	6-hole



## W&H RM-34 LED coupling for Multiflex®\* connection

Simple and uncompromising: The W&H RM-34 LED coupling is ready for use right away. This means: The coupling with LED can be used in addition to conventional halogen couplings without making the slightest changes to the dental unit. Long lifespan – 24 months warranty.

\* Multiflex® is a trademark of Kaltenbach & Voigt GmbH, Germany

**W&H Dentalwerk Bürmoos GmbH**  
Ignaz-Glaser-Straße 53, Postfach 1  
5111 Bürmoos, **Austria**  
t +43 6274 6236-0  
f +43 6274 6236-55  
office@wh.com  
**wh.com**